

Incompatibility (Materials to Avoid): Bases, peroxides or other polymerization initiators

Hazardous Decomposition or Byproducts: Oxides of carbon

HAZARDOUS
POLYMERIZATION

CONDITIONS TO AVOID

May Occur		
Will Not Occur	X	Sparks or flame, strong visible light, temperatures > 50°C

SECTION VI – Health Hazard Data

ROUTES OF ENTRY:

INHALATION?

SKIN?

INGESTION?

No

Yes

Yes

Health Hazards (Acute and Chronic): Uncured material may be irritating to eyes, skin, or respiratory tract in susceptible persons

CARCINOGENICITY:

NTP?

IARC MONOGRAPH?

OSHA REGULATED?

No

No

No

Signs and Symptoms of Exposure: Severe eye irritation; itching, redness or burning sensation on skin of susceptible persons

Medical Conditions Generally Aggravated by Exposure: None known

Emergency and First Aid Procedures: Flush eyes with copious amounts of water; get medical attention. Wash skin with soap and water. If large amounts are swallowed, do not induce vomiting; get medical attention.

SECTION VII – Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: Wipe up with absorbent paper or cloth. Dispose in proper manner.

Waste Disposal Method: Do not dispose into sewer system. Dispose of in accordance to local, state and federal regulations.

Precautions to be Taken in Handling and Storing: Refrigerate or store in cool, dry place away from heat, strong light or any ignition source. Avoid temperatures > 50°C.

Other Precautions: Avoid contact with eyes or skin

SECTION VIII – Control Measures

Respiratory Protection (Specify Type): Not applicable

VENTILATION:

Local Exhaust: Recommended
Mechanical (General): Not applicable
Special: Not applicable
Other: Not applicable

Protective Gloves: Impervious rubber gloves recommended

Eye Protection: Safety glasses recommended

Other Protective Clothing or Equipment: Not applicable

Work Hygienic Practices: Avoid skin contact with uncured material. Handle in accordance with good personal hygiene and safety practices.

NOTE: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is believed to be accurate to the best of our knowledge.